




BK

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage handleiding
Manuel de montage





$$\begin{array}{l} \text{BK} \\ \text{BKA} \\ \text{BKB} \end{array} \quad \begin{array}{l} \textcircled{1} - \textcircled{4} + \textcircled{5} - \textcircled{15} \\ \textcircled{A1} - \textcircled{A4} + \textcircled{5} - \textcircled{16} \\ \textcircled{B1} - \textcircled{B3} + \textcircled{5} - \textcircled{16} \end{array}$$


BK_V1_40998626










Ⓢ BK: 1, 2, 5, 7, 9






Ⓛ BK: 3, 4, 6, 8, 10, 11, 12, 13, 14, 15, 16


















BK



BKA



BKB



17

Data, 3 Bar (Max. 10 Bar):

		l/min.	Gal/min.
T1		10	2.6
090D/E	{ BK 5, 7, 10, 12:	20	5.3
	{ BK 6, 8, 11, 13:	25	6.6
	{ BK 15, 16:	25	6.6
A24	{ BK 1, 3:	15	3.9
	{ BK 2, 4:	19	5.0
	{ BK 14:	22	5.8

A vertical thermometer icon with a red bulb and a red liquid column. The scale is not explicitly labeled, but it is used to indicate the temperature range for the data presented.

Max. 65°C, 150°F

2

